

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2534	travers\$3 with tree	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:41
L2	170	1 and (B-tree or (avl near2 tree))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:40
L3	125	2 and (tree with index\$2)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:29
L4	105	3 and ((data near2 structure) or array)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:29
L5	82	4 and pointer	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:29
L6	16	5 and (head or tail)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:38
L7	0	5 and (head or tail) and (rapid\$ near2 insert\$4)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:39
L8	7	5 and (head or tail) and insertion	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:40
L9	0	5 and (head or tail) and (rapid\$ with insert\$4)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:40

L10	0	5 and (head or tail) and (rapid\$ with insert\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:40
L11	4754	(head or tail) and (rapid\$ with insert\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:40
L12	0	11 and (B-tree or (avl near2 tree))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:40
L13	0	11 and (travers\$3 with tree)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:42
L14	1	(rapid\$ near2 insertion) with (binary near2 tree)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:04
L15	2	(rapid\$ near2 insertion) with (tree)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:43
L16	0	(rapid\$ near2 insertion) and (redistribute\$1 with nodes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:44
L17	4	(rapid\$ near2 insertion) same tree	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:45
L18	275	array same (binary near2 tree)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:45
L19	37	18 and insertion	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:49

L20	17	18 and insertion and pointer	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:03
L21	5	(link near2 list) same (binary near2 tree)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:03
L22	74	(link near2 list) same tree	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:04
L23	0	(rapid\$ near2 insertion) and 22	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:04
L24	1929	(rapid\$ near2 insertion) and insertion	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:04
L25	18	insertion and 22	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:07
L26	2	insertion and 22 and pointer and (head or tail)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:12
L27	10504	707/100 or 707/102 or 707/3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:13
L28	16	27 and ((link near2 list) same tree)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:13
L29	21	27 and ((link near2 list)) and ((binary near2 tree) or B-tree or (avl near2 tree))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:14

L30	12	27 and ((link near2 list)) and ((binary near2 tree) or B-tree or (avl near2 tree)) and insertion	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:21
L31	2	"6249788".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:22
L32	4030	27 and (data near2 structure)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:23
L33	57	27 and (data near2 structure) and redistribut\$3 and tree	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:24
L34	23	27 and (data near2 structure) and redistribut\$3 and tree and insertion and pointers	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:53
L35	0	(redistribut\$3 with (data near2 structure)) and (redistribut\$ with tree)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:28
L36	74	1 and (link near2 list)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:32
L37	313	(data near2 structure) same (travers\$ with tree)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:32
L38	5	37 and (link near2 list)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:33
L39	158	(sorted near2 tree)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:33

L40	69	39 and pointers	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:48
L41	1592	707/7	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:48
L42	14	41 and (heap near2 sort)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:49
L43	31	41 and (link near2 list)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:51
L44	11	41 and (link near2 list) and insertion	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:52
L45	10	41 and (link near2 list) and insertion and tree	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 11:00
L46	171	(quick near2 sort\$2)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 11:01
L47	10	46 and tree and pointers	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 11:12
L48	201	(empty near2 nodes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 11:13
L49	38	48 and 1	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 11:13

L50	0	48 and 1 and array	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 11:14
L51	66	((null or empty) near2 node) and (array same (blank or empty))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:12
L52	0	(empty near2 nodes) with tree and ((empty near2 nodes) with array)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:07
L53	0	(empty near2 nodes) with tree and ((empty near2 nodes) same array)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:07
L54	0	(empty near2 nodes) same tree and ((empty near2 nodes) same array)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:07
L55	7	(empty near2 nodes) same array	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:11
L56	5	(null near2 nodes) same array	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:11
L57	675	chen.in. and empty	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:12
L58	16	chen.in. and (empty same array)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:13
L59	27	empty near2 lots	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:13

L60	0	59 and array and tree	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:14
L61	13090	array and tree	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:14
L62	276	61 and (empty near2 (slot or block or cell))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:14
L63	6	62 and (empty near2 nodes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:19
L64	1	arrays same (empty near2 nodes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:20
L65	2	arrays same (null near2 nodes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:20
L66	23	arrays and (null near2 nodes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:22
L67	27	arrays and (empty near2 nodes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:42
L68	1592	707/7	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:42
L69	7	68 and tree and insertion and array and (empty near2 nodes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 12:52

L70	42	array with (pointers with empty)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:01
L71	53	array with (pointers with null)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:01
L72	22	71 and tree	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:04
L73	1	"5758353".pn. and (empty same array)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:10
L74	642	(empty with nodes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:11
L75	38	(empty with nodes) same array	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:21
L76	0	(contiguous near2 empty near2 nodes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:22
L77	1	(contiguous with empty with nodes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:26
L78	21	adjacent with empty with nodes	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:32
L79	34	next with empty with nodes	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:30

L80	0	(adjacent with empty with entries) same tree	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:33
L81	45	(empty near2 nodes) same tree	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:47
L82	624504	(data near2 structure) or array	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:48
L83	1662	82 and (binary near2 tree)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:48
L84	25	83 and (empty near2 nodes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:48
L85	12	84 and insertion and pointer	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:48
L86	2	(heap near2 sort) and array and tree	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:54
L87	266	insertion and (binary near2 tree) and (array or (link near2 list))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:55
L88	100	insertion and (binary near2 tree) and (array or (link near2 list)) and "707"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:11
L89	166	(stor\$3 with pointers with (null or empty))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:11